

ACCESSORIES/SPARE PARTS FOR BULLDOG, BI-BULLDOG AND BACK-FINISHER BULL-DOG

MADE IN ITALY




114TOK05A
114TOK06A



419AVBU



039CA00ABB



428PR03A

MACHINES FOR SPECIAL JOBS

ACCESSORIES FOR BACK-FINISHER BULLDOG FOR CONNECTION IN LINE

Part No.			Description			
114TOK05A	8024648061577	1	Pair of guides (1.653 mm) to connect back-finisher with Bi-Bulldog	170x10xh 10 cm	67"x4"xh4"	5,8 Kg / 12.8 lbs
114TOK06A	8024648093219	1	Pair of guides (1.415 mm) to connect back-finisher with Bulldog			5,2 Kg / 11.5 lbs
286DT14D	8024648094551	1	Belt for updating wheel-feed-kit (back-finisher + Bi-Bulldog)	-	-	- / -
286DT15D	8024648094568	1	Belt for updating wheel-feed-kit (back-finisher + Bulldog)	-	-	- / -
419AVBU BBR1H	8024648094452	1	Wheel-feed-kit for Back-finisher + Bi-Bulldog	-	-	- / -
419AVBU BUR1H	8024648094476	1	Wheel-feed-kit for Back-finisher + Bulldog	-	-	- / -

TABLES FOR BULLDOG ADV, BI-BULLDOG ADV AND BACK-FINISHER BULLDOG FOR CONNECTION IN LINE

Part No.			Description			
039CA00AB	8024648082756	1	"Universal table" for tiles max length 80 cm (31 1/2"), width 40/60 cm (15 3/4" - 23 5/8") and height ≥ 4cm (1 1/2")	90x25xh 9 cm	35 1/2"x9 7/8"xh 3 1/2"	7,5 Kg / 16.5 lbs
039CA00ABB	8024648082763	1	"Universal table" for tiles max length 120 cm (47 1/4"), width 40/60 cm (15 3/4" - 23 5/8") and height ≥ 4cm (1 1/2")	137x25xh 9 cm	54"x9 7/8"xh 3 1/2"	9,5 Kg / 21 lbs

SIDE EXTENSIONS FOR BULLDOG ADV, BI-BULLDOG ADV AND BACK-FINISHER BULLDOG

Part No.			Description			
428PR03A	8024648062161	1	Side extensions (pair) for Bulldog Adv, Bi-Bulldog Adv and Back-finisher Bulldog	80x33xh 21 cm	31 1/2"x13"xh 8 1/4"	13 Kg / 28.6 lbs

ACCESSORIES/MACHINES COMBINATIONS

Part No.	Description	BULLDOG ADV	BI-BULLDOG ADV	BI-BULLDOG ADV W/ WHEEL FEED KIT	BI-BULLDOG ADV AUTO	STAND ALONE BACK-FINISHER	BACK-FINISHER FOR CONNECTION IN LINE
114TOK05A	Pair of guides (1.415 mm) to connect back-finisher with Bulldog	-	•	•	-	-	•
114TOK06A	Pair of guides (1.415 mm) to connect back-finisher with Bulldog	•	-	-	-	-	•
286DT14D	Belt for updating wheel-feed-kit (back-finisher + Bi-Bulldog)	-	-	•	-	-	•
286DT15D	Belt for updating wheel-feed-kit (back-finisher + Bulldog)	-	-	-	-	-	•
419AVBU BBR1H	Wheel-feed-kit for back-finisher + Bi-Bulldog	-	•	-	-	-	•
419AVBU BUR1H	Wheel-feed-kit for back-finisher + Bulldog	•	-	-	-	-	•
039CA00AB	"Universal table" for tiles max length 80 cm (31 1/2")	standard	-	-	-	-	•
039CA00ABB	"Universal table" for tiles max length 120 cm (47 1/4")	•*	standard	standard	standard	standard	•
428PR03A	Side extensions (pair) for Bulldog Adv, Bi-Bulldog Adv and Back-finisher Bulldog	•	standard	standard	standard	standard	•


*The "universal" table length 120 cm can be mounted on Bull-Dog Adv only in combination with the side extensions (cod.428PR03A).



429KITV



429KIT 428
429KIT 428US



MACHINES FOR SPECIAL JOBS

REMOVABLE TANK KIT AND PUMP FOR BULLDOG ADV E BI-BULLDOG ADV

Part No.			Description		
429KITVA230	8024648071835	1	Removable tank kit and pump for Bulldog Adv 230V 50 Hz	-	-
429KITVA220H6	8024648075093	1	Removable tank kit and pump for Bulldog Adv 230V 60 Hz	-	-
429KITVA110	8024648071828	1	Removable tank kit and pump for Bulldog Adv 110V 50 Hz	-	-
429KITVA110/6	8024648081278	1	Removable tank kit and pump for Bulldog Adv 110V 60 Hz	-	-
429KITV 230	8024648072108	1	Removable tank kit and pump for Bi-Bulldog Adv 230V 50 Hz	-	-
429KITV 230BB	8024648071811	1	Removable tank kit and pump for Bi-Bulldog Adv 230V 60 Hz	-	-
429KITV 110BB	8024648071804	1	Removable tank kit and pump for Bi-Bulldog Adv 110V 50 Hz	-	-
429KITV 110B6	8024648081261	1	Removable tank kit and pump for Bi-Bulldog Adv 110V 60 Hz	-	-

AUTOMATION KIT FOR BULLDOG ADV AND BI-BULLDOG ADV

Part No.			Description			
429KIT 428	8024648071200	1	Automation kit for Bi-Bulldog ADV 230V 50/60 Hz	240x65xh 70 cm 94"x25"xh 27"	86 Kg	190 lbs
429KIT 428US	8024648071798	1	Automation kit for Bi-Bulldog ADV 110V 50/60 Hz		90 Kg	198 lbs


MANUAL FEED KIT WITH WHEEL FOR BULLDOG ADV AND BI-BULLDOG ADV

Part No.			Description		
419AVBU BULL	8024648073785	1	Manual feed kit with wheel for Bulldog Adv	-	-
419AVBU BIBU	8024648073778	1	Manual feed kit with wheel for Bi-Bulldog Adv	-	-

ACCESSORIES/MACHINES COMBINATIONS

Part No.	Description	BULLDOG ADV	BI-BULLDOG ADV	BI-BULLDOG ADV W/ WHEEL FEED KIT	BI-BULLDOG ADV AUTO
429KITVA230	Removable tank kit and pump for Bulldog Adv 230V 50 Hz	•	-	-	-
429KITVA220H6	Removable tank kit and pump for Bulldog Adv 230V 60 Hz	•	-	-	-
429KITVA110	Removable tank kit and pump for Bulldog Adv 110V 50 Hz	•	-	-	-
429KITVA110/6	Removable tank kit and pump for Bulldog Adv 110V 50 Hz	•	-	-	-
429KITV 230	Removable tank kit and pump for Bulldog Adv 110V 50 Hz	-	•	•	standard
429KITV 230BB	Removable tank kit and pump for Bi-Bulldog Adv 230V 60 Hz	-	•	•	standard
429KITV 110BB	Removable tank kit and pump for Bi-Bulldog Adv 110V 50 Hz	-	•	•	standard
429KITV 110B6	Removable tank kit and pump for Bi-Bulldog Adv 110V 60 Hz	-	•	•	standard
429KIT 428	Automation kit for Bi-Bulldog ADV 230V 50/60 Hz	-	•	•	standard
429KIT 428US	Automation kit for Bi-Bulldog ADV 110V 50/60 Hz	-	•	•	standard
419AVBU BULL	Manual feed kit with wheel for Bulldog Adv	•	-	-	-
419AVBU BIBU	Manual feed kit with wheel for Bi-Bulldog Adv	-	•	standard	-

DIAMOND WHEELS AND DIAMOND BELTS



MACHINES FOR SPECIAL JOBS

Part No.	Barcode	Box	Profile	Profile Icon	BULLDOG BI-BULLDOG	BULL FINISHING	Profile Icon	Profile Icon	Box	Weight	Weight			
FULL BULLNOSE SEGMENTED DIAMOND WHEEL FOR SHAPING FOR BULLDOG AND BI-BULLDOG														
179BUTOH22GG	8024648093974	1		11 mm	7/16"	•	–	125 mm	5"	CG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	2 Kg	4.4 lbs
FULL BULLNOSE SEGMENTED DIAMOND WHEEL FOR FINISHING FOR BULLDOG AND BI-BULLDOG														
179BUTOH22GF	8024648093967	1		11 mm	7/16"	•	–	125 mm	5"	FG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	2 Kg	4.4 lbs
1/2 BULLNOSE MILLING DIAMOND WHEELS CONTINUOUS RIM FOR BULLDOG AND BI-BULLDOG														
179BULL15FC	8050532011618	1		15 mm	5/8"	•	–	125 mm	5"	VCG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	2 Kg	4.4 lbs
179BULL12FC	8050532011595	1		12 mm	15/32"	•	–	125 mm	5"	VCG*				
179BULL10FC	8050532011571	1		10 mm	3/8"	•	–	120 mm	4 3/4"	VCG*				
179BULL08FC	8050532011557	1		8 mm	5/16"	•	–	115 mm	4 1/2"	VCG*				
1/2 BULLNOSE SEGMENTED DIAMOND WHEELS FOR SHAPING FOR BULLDOG AND BI-BULLDOG														
179BULL30	8024648061690	1		30 mm	1 3/16"	•	–	160 mm	6 1/4"	CG*	17x17xh 5 cm	6 5/8"x6 5/8" xh 2"	2 Kg	4.4 lbs
179BULL20	8024648060563	1		20 mm	3/4"	•	–	150 mm	5 7/8"	CG*			1,4 Kg	3.1 lbs
179BULL15-125	8024648067227	1		15 mm	5/8"	•	–	130 mm	5 1/8"	CG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	900 gr	31.8 oz
179BULL12	8024648087959	1		12 mm	15/32"	•	–	125 mm	5"	CG*				
179BULL10	8024648011398	1		10 mm	3/8"	•	–	120 mm	4 3/4"	CG*				
1/2 BULLNOSE CONTINUOUS RIM DIAMOND WHEELS FOR FINISHING FOR BULLDOG AND BI-BULLDOG														
179BU30RF	8024648061874	1		30 mm	1 3/16"	•	–	160 mm	6 1/4"	FG*	17x17xh 5 cm	6 5/8"x6 5/8" xh 2"	2 Kg	4.4 lbs
179BU20RF	8024648061751	1		20 mm	3/4"	•	–	150 mm	5 7/8"	FG*			1,4 Kg	3.1 lbs
179BULL15RF	8050532011625	1		15 mm	5/8"	•	–	130 mm	5 1/8"	FG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	900 gr	31.8 oz
179BULL12RF	8050532011601	1		12 mm	15/32"	•	–	125 mm	5"	FG*				
179BULL10RF	8050532011588	1		10 mm	3/8"	•	–	120 mm	4 3/4"	FG*				
179BULL08RF	8050532011564	1		8 mm	5/16"	•	–	115 mm	4 1/2"	FG*				
179BU30LA	8024648061829	1		30 mm	1 3/16"	•	–	160 mm	6 1/4"	400				
179BU30LB	8024648061836	1		30 mm	1 3/16"	•	–	160 mm	6 1/4"	800				
179BU15LA	8024648013897	1		15 mm	5/8"	•	–	125 mm	4 7/8"	400				
179BU15LB	8024648013927	1		15 mm	5/8"	•	–	125 mm	4 7/8"	800				
179BU15LC	8024648054364	1		15 mm	5/8"	•	–	125 mm	4 7/8"	1500				
179BU15LD	8024648054371	1		15 mm	5/8"	•	–	125 mm	4 7/8"	1800				
179BU15LE	8024648054388	1		15 mm	5/8"	•	–	125 mm	4 7/8"	3500				
179BU10LA	8024648013903	1		10 mm	3/8"	•	–	120 mm	4 3/4"	400				
179BU10LB	8024648013934	1		10 mm	3/8"	•	–	120 mm	4 3/4"	800				
SEGMENTED DIAMOND WHEEL 45° PROFILE FOR JOLLY AND BEVEL FOR BULLDOG AND BI-BULLDOG														
179BULL45FC	8050532011663	1		15 mm	5/8"	•	–	120 mm	4 3/4"	VCG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	830 gr	29.3 oz
CONTINUOUS RIM DIAMOND WHEEL 45° PROFILE JOLLY AND BEVEL FOR FINISHING FOR BULLDOG, BI-BULLDOG AND BACK-FINISHER BULLDOG														
179BULL45RF	8050532012103	1		15 mm	5/8"	•	•	120 mm	4 3/4"	FG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	1.4 Kg	3.1 lbs
FLAT (90°EDGE) SEGMENTED DIAMOND WHEEL (SHAPING) FOR BULLDOG, BI-BULLDOG AND BACK-FINISHER BULLDOG														
179BU16SC	8024648016904	1		16 mm	5/8"	•	•	120 mm	4 3/4"	CG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	900 gr	31.8 oz
179BU30SC	8024648061881	1		32 mm	1 1/4"	•	–	120 mm	4 3/4"	CG*	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	1,4 Kg	3.1 lbs
FLAT (90°EDGE) DIAMOND BAND (FINISHING AND POLISHING) FOR BULLDOG AND BI-BULLDOG														
179BUN100	8024648016775	1		38 mm	1 1/2"					D100	13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	100 gr	3.4 oz
179BUN400	8024648016782	1		38 mm	1 1/2"	•	–	100 mm	4"	D400				
179BUN800	8024648016799	1		38 mm	1 1/2"					D800				
RUBBER DRUM HOLDER FOR DIAMOND BAND FOR BULLDOG AND BI-BULLDOG														
Part No.	Barcode	Box	Description						Box	Weight	Weight			
179BUPNA	8024648016935	1	Rubber drum holder Ø 100 mm h 38 mm - 1 1/2"							13x13xh 4 cm	5 3/8"x5 3/8" xh 1 5/8"	500 gr	17 oz	
DRESSING/SHARPENING STONES														
288 L	8024648013965	6	Dressing stone 30x200x10 mm (1 3/16"x7 7/8"x13/32")							10x 20xh 2 cm	4"x8"xh 25/32"	450 gr	15.9 oz	

*VCG=very coarse grit *CG=course grit *FG=fine grit